

CUSTOMER APPLICATION MEMO

CUSTOMER: *

ISSUE DATE: 2003
PREPARED BY: EEF

MODEL: BH 2000 VIP – C6

Rev #02 (06--08)
See Last Page

MACHINE NO.:

POWER REQUIREMENTS

- (1) 208 Volt - 30 AMP, 5 Wire w/neutral, Three Phase, 50/60 HZ Main Power Line
- * (1) 120 Volt - 30 AMP, 3 Wire, Single Phase, 50/60 HZ Modular Delivery Power Line

FRAMING

- Shuttle Feed Hopper w/HCEL
- Turnover
- Envelope Marker
- Diverter
- * Telescoping Interface
- * (1) Hasler WJ PRO Meter Base and Light Post with Modular Stand
- 60" Standard End Conveyor

ATTACHMENTS

1. Open Feed Station with front/rear GBR 438 mounting interface required.
2. Packaged "**VIP**" (GBR 438) Cut Sheet Feeder with one top and one bottom mounted standard OMR probes, also one top mounted BCR Head required.
3. Due to the extended length of the HCEL on a six station machine an additional 21" section must be added.

SUPPLEMENTARY INFORMATION

- * 1. This machine to be equipped with the Multiple Weight Metering and Computer Weighing system functions.

****End of Machine Specifications****

Top of Form

↑
Feed Direction

**O
M
R

M
A
R
K
S**

**Mr. John Doe
1924 Main St.
Euclid, OH 44132-5689**

APPL. #1 - STATEMENTS

FEEDER LOCATION: REAR MOUNTED
PAPER: ONE-UP CUT SHEET
PROBE: ONE TOP MOUNTED OMR PROBE
FEED: FACE UP, TOP EDGE LEADING
COLLATION: Z to A
FOLD TYPE: LETTER
DIMENSIONS: 8-1/2" X 11"
DIMENSIONS AFTER FOLD: 8-1/2" X 3-2/3"
ACCUMULATION: OVER
PROGRAM: VERTICAL
ADDRESS WILL BE ON TOP OF FORM

OMR MARK PATTERN TO BE READ

OMR Mark Bank "A"	System Function	Location
1 st Mark	Gate/Read Verify	Every Page
2 nd Mark	Demand Feed	Every Page Except Last Page Fed
3 rd Mark	Select #1	Last Page
4 th Mark	Select #2	Last Page
5 th Mark	Zip Mark	Last Page
6 th Mark	Customer ID 1	Every Page
7 th Mark	Customer ID 2	Every Page
8 th Mark	Customer ID 4	Every Page
9 th Mark	Divert	Last Page
10 th Mark	Select #3	Last Page
11 th Mark	Select #4	Last Page
12 th Mark	Select #5	Last Page
13 th Mark	Select #6	Last Page
14 th Mark	Unused	Not Used
15 th Mark	Unused	Not Used
16 th Mark	Unused	Not Used
17 th Mark	Unused	Not Used

APPLICATION #1 OF 2

Top of Form

	<p>B A R C O D E</p>	<div style="border: 1px solid black; background-color: yellow; padding: 5px; display: inline-block;"> <p>Mr. John Doe 1924 Main St. Euclid, OH 44132-5689</p> </div>	<p>↑ Feed Direction</p>
<p><u>APPLICATION #2 - STATEMENTS</u></p> <p>PAPER: ONE-UP CUT SHEET FEEDER LOCATION: REAR MOUNTED PAPER: ONE-UP CUT SHEET PROBE: ONE TOP MOUNTED BARCODE READING HEAD FEED: FACE UP, TOP EDGE LEADING COLLATION: Z to A FOLD TYPE: LETTER DIMENSIONS: 8-1/2" X 11" DIMENSIONS AFTER FOLD: 8-1/2" X 3-2/3" ACCUMULATION: OVER PROGRAM: VERTICAL ADDRESS WILL BE ON TOP OF FORM</p>			

FUTURE 3of9 BARCODE TO BE READ

	System Function	Location
Start Character		
Character 1 - Bit 5	Demand Feed	Every Page except Last Page
Bit 4	Select #1	Last Page
Bit 3	Select #2	Last Page
Bit 2	Zip Mark	Last Page
Bit 1	Customer ID 1	Every Page
Character 2 – Bit 5	Customer ID 2	Every Page
Bit 4	Customer ID 4	Every Page
Bit 3	Divert	Last Page
Bit 2	Select #3	Last Page
Bit 1	Select #4	Last Page
Character 3 – Bit 5	Select #5	Last Page
Bit 4	Select #6	Last Page
Bit 3	Spare	Not Used
Bit 2	Spare	Not Used
Bit 1	Spare	Not Used
Stop Char.		

